

230V AC dim receiver || 2 x 288W

ARTICLE NUMBER: 214-151

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



RF dimmer for wireless dimming of 230V LED, halogen and incandescent lamps. Supports both trailing and leading edge dimming. Operates via RF remote or push switch. Max. 2x 288 W, IP20.

Key product features

- **Light value memory:** Yes
- **Nominal voltage (V):** 100 - 240
- **Control voltage (V):** 100 - 240
- **Dimming phase cut-on (leading edge):** Yes
- **Dimming phase cut-off (trailing edge):** Yes
- **Max. switching power LED (W):** 288
- **Control method:** RF


Technical specifications:

Product Name	230V AC dim receiver 2 x 288W
Ean	8714984917200
Outer box qty	1st
Colour	White
Connection type	Screwed terminal
Operating method	Radio frequency (RF)
Control method	RF
Mounting method	Surface mounted
Material	Plastic
Material quality	Thermoplastic
Applicable with presence indicator	Yes
Suitable for degree of protection (IP)	IP20
Applicable with movement sensor	Yes
Applicable with button	No
Applicable with transmission button	Yes

24.08.2026 - Disclaimer: information subject to change.

Applicable with time switch/timer	Yes
Nominal voltage	100 - 240V
Control voltage	100 - 240V
Min. depth of built-in installation box	30mm
Min. brightness controllable	Yes
Max. switching power LED	288W
Light value memory	Yes
Halogen free	Yes
RAL-number (similar)	9016
Core cross section	0.75 - 2.5mm??
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT