

# Casambi || receiver | 12-24V | 16A | TW/RGB/RGBW/1..4CH.

ARTICLE NUMBER: 214-209

View this  
product in  
our  
webshop



CASAMBI



21.08.2026 - Disclaimer: information subject to change.



Professional 4-channel LED controller for constant voltage systems (12–48V DC), with wireless Casambi control. Suitable for RGBW, tuneable white and single-colour lighting, for use in Casambi or DALI networks.

## Key product features

- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 4.3
- **Type of control:** Casambi
- **Control type:** Constant voltage
- **Number of zones:** 4

## Technical specifications:


|                           |                                                          |
|---------------------------|----------------------------------------------------------|
| Product Name              | Casambi    receiver   12-24V   16A   TW/RGB/RGBW/1..4CH. |
| Ean                       | 8714984941359                                            |
| Outer box qty             | 1st                                                      |
| Model                     | Dynamic                                                  |
| Housing                   | Plastic housing                                          |
| Programmable              | Yes                                                      |
| Max. output current       | 4.3A                                                     |
| Output voltage            | 12 - 48V                                                 |
| Suitable for outdoor use  | No                                                       |
| Degree of protection (IP) | IP20                                                     |
| Length                    | 113mm                                                    |
| Width                     | 62mm                                                     |
| Height                    | 27mm                                                     |
| Number of zones           | 4                                                        |
| Number of colour channels | 4, RGBW                                                  |

21.08.2026 - Disclaimer: information subject to change.



|                                |                  |
|--------------------------------|------------------|
| Suitable for surface mounting  | Yes              |
| Suitable for built-in mounting | Yes              |
| Input voltage                  | 12 - 48V         |
| Control method                 | Casambi          |
| DIN-rail mounting              | No               |
| Brand                          | Tronix Lighting  |
| Compatible with Casambi        | Yes              |
| Control type                   | Constant voltage |
| Warranty                       | 5 years          |

21.08.2026 - Disclaimer: information subject to change.



21.08.2026 - Disclaimer: information subject to change.