TRONIX guided by light

Casambi | sensor | recessed | PIR + light + 0-10V | white

ARTICLE NUMBER: 214-223

View this product in our webshop

CASAMBI



22.11.2026 - Disclaimer: information subject to change.

Casambi ceiling module with PIR and light sensor for autonomous 0–10V dimming. Operates on 12/24 VDC and is fully controllable via the Casambi app. Compact flush-mount design (Ø70–73 mm) and energy savings through daylight control.

Key product features

- **Mounting method:** Flush-mount
- **Networkable:** Yes
- **Diameter reach on floor (m):** 5
- **Response value sensitivity adjustable:** Yes
- **Response value luminosity adjustable:** Yes
- **With movement sensor:** Yes
- **With light sensor:** Yes


Technical specifications:

Product Name	Casambi | sensor | recessed | PIR + light + 0-10V | white
Ean	8714984952324
Outer box qty	1st
Colour	White
Type	Casambi
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	3m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	Yes
Constant light control	No
Networkable	Yes
Max. reach sideways	4m

22.11.2026 - Disclaimer: information subject to change.

Max. reach frontally	4m
Diameter reach on floor	8m
Detection angle horizontal	90 - 90??
Min. switch-on time	1s
Max. duty cycle	60min
With presence detector	No
With movement sensor	Yes
With light sensor	Yes
Response value sensitivity adjustable	Yes
Response value luminosity adjustable	Yes
Teach-function for response value luminosity	No
Dim function with dimmer basic element	Yes
Switch-off delay self-learning	No
Max. switching power	1000W
Operation mode switch	No
Staircase light controller	Yes
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

22.11.2026 - Disclaimer: information subject to change.



22.11.2026 - Disclaimer: information subject to change.