TRONIX guided by light

Constant voltage receiver || 4 channels x 5 amp??re

ARTICLE NUMBER: 214-132

View this product in our webshop



22.11.2026 - Disclaimer: information subject to change.

4-channel RF receiver for single-colour LED lighting based on constant voltage (12–36V DC). Supports wireless switching and dimming via RF remote or push switch. External power supply required. Can be paired with up to max. 8 remote controls.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 1
- **Voltage type:** DC
- **Nominal voltage (V):** 12–36
- **Max. output current per channel (A):** 5
- **Degree of protection (IP):** IP20

Technical specifications:

Product Name	Constant voltage receiver || 4 channels x 5 amp??re
Ean	8714984910348
Outer box qty	100st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	5A
Output voltage	12 - 36V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	178mm
Width	45mm
Height	19mm
Number of zones	1
Number of colour channels	1, Single Colour
Suitable for surface mounting	Yes

22.11.2026 - Disclaimer: information subject to change.

Suitable for built-in mounting	No
Input voltage	12 - 36V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years