TRONIX guided by light

# DALI | controller | SC/TW/RGB(W) | 12~48V | DIN

ARTICLE NUMBER: 213-253

View this product in our webshop



22.11.2026 - Disclaimer: information subject to change.

This 4-channel constant voltage DALI-2 LED dimmer flexibly controls single-colour, Tuneable White and RGB(W) LED strips in professional installations where high load capacity, versatility and precise DALI control are required.

**Key product features**


- **Type of control:** DALI
- **Number of colour channels:** 4
- **DIN-rail mounting:** Yes
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 20
- **Control type:** Constant voltage

**Technical specifications:**

| | |
|---|---|
| Product Name | DALI \| controller \| SC/TW/RGB(W) \| 12~48V \| DIN |
| Ean | 8714984953673 |
| Outer box qty | 1st |
| Model | Dynamic |
| Housing | Plastic housing |
| Programmable | Yes |
| Max. output current | 20A |
| Output voltage | 12 - 48V |
| Suitable for outdoor use | No |
| Degree of protection (IP) | IP20 |
| Length | 110mm |
| Width | 67mm |
| Height | 48mm |
| Number of zones | 1 |
| Number of colour channels | 4, RGBW |

22.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Suitable for surface mounting | No |
| Suitable for built-in mounting | Yes |
| Input voltage | 12 - 48V |
| Control method | DALI |
| DIN-rail mounting | Yes |
| Brand | Tronix Lighting |
| Compatible with Casambi | No |
| Control type | Constant voltage |
| Warranty | 5 years |




22.11.2026 - Disclaimer: information subject to change.