TRONIX guided by light

DALI | controller | SC/TW/RGB(W+TW) | 12~48V

ARTICLE NUMBER: 213-256

View this product in our webshop



22.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

This 5-channel constant voltage DALI-2 LED dimmer flexibly controls single-colour, Tuneable White, RGB(W) and RGB+TW LED strips in professional installations where high load capacity, versatility and precise DALI control are required.

Key product features


- **Type of control:** DALI
- **Number of colour channels:** 5
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 20
- **Control type:** Constant voltage

Technical specifications:

Product Name	DALI | controller | SC/TW/RGB(W+TW) | 12~48V
Ean	8714984953703
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	4A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	187mm
Width	46mm
Height	22mm
Number of zones	1
Number of colour channels	4, RGBW

22.11.2026 - Disclaimer: information subject to change.

Suitable for surface mounting	Yes
Suitable for built-in mounting	No
Input voltage	12 - 48V
Control method	DALI
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years



22.11.2026 - Disclaimer: information subject to change.