TRONIX guided by light

Dimmit | controller | SC/TW/RGB(W+TW) | 12~48V

ARTICLE NUMBER: 213-442

View this product in our webshop



23.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Dimmit WiFi & RF LED controller for versatile control of constant voltage LED lighting. Developed for smart lighting installations where cloud-based control, flexibility and broad compatibility are required.

Key product features


- **Number of colour channels:** 5
- **Output voltage (V):** 12–48
- **Input voltage (V):** 12–48
- **Max. output current (A):** 30
- **Control type:** Constant voltage
- **Type of control:** Dimmit

Technical specifications:

Product Name	Dimmit | controller | SC/TW/RGB(W+TW) | 12~48V
Ean	8714984953901
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	30A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	179mm
Width	56mm
Height	30mm
Number of zones	1
Number of colour channels	5, RGBTW
Suitable for surface mounting	Yes

23.11.2026 - Disclaimer: information subject to change.

Suitable for built-in mounting	No
Input voltage	12 - 48V
Control method	Dimmit
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


179.00 mm
56.00 mm
30.00 mm