

Dimmit || Wi-Fi+RF receiver | 12~24V | RGBTW/RGBW/RGB/TW/5CH

ARTICLE NUMBER: 214-315

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Versatile 5-channel LED controller for RGB, RGBW, RGBTW, Tuneable White and single-colour applications. Controlled via WiFi (Dimmit app) or RF remote. Operating mode selectable via DIP switches.

Key product features

- **Number of colour channels:** 5
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 4
- **Control type:** Constant voltage
- **Type of control:** Dimmit

Technical specifications:

Product Name	Dimmit Wi-Fi+RF receiver 12~24V RGBTW/RGBW/RGB/TW/5CH
Ean	8714984945296
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	4A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	145mm
Width	46.5mm
Height	16mm
Number of zones	1
Number of colour channels	5, RGBTW
Suitable for surface mounting	Yes

24.08.2026 - Disclaimer: information subject to change.



Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	Dimmit
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.