

DMX | controller | 4 channels | 150~500mA | DIN

ARTICLE NUMBER: 213-353

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT



This 4-channel constant current DMX512 & RDM decoder precisely controls LED modules with adjustable output current from 150–500 mA. Ideal for professional DMX installations requiring accurate current regulation and flexibility.

Key product features

- **Type of control:** DMX
- **Number of colour channels:** 4
- **DIN-rail mounting:** Yes
- **Output voltage (V):** 3 – 45
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 0.5
- **Control type:** Constant current

Technical specifications:


Product Name	DMX controller 4 channels 150~500mA DIN
Ean	8714984953819
Outer box qty	1st
Model	Static
Housing	Plastic housing
Programmable	Yes
Max. output current	0.5A
Output voltage	3 - 45V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	110mm
Width	67mm
Height	48mm
Number of zones	1
Number of colour channels	4, RGBW

24.08.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	DMX
DIN-rail mounting	Yes
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant current
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.