TRONIX guided by light

DMX decoder | 3 channel x 6 amp??re | constant voltage

ARTICLE NUMBER: 214-113

View this product in our webshop



11.11.2026 - Disclaimer: information subject to change.

DMX512 controller for RGB LED lighting with manual address setting via DIP switch. Operates on 12–24V DC and delivers up to 6 A per channel.

Key product features

- **Type of control:** DMX512
- **Number of colour channels:** 3
- **Output voltage:** 12 – 24 V
- **Input voltage:** 12 – 24 V
- **Max. output current:** 6 A
- **Control type:** Voltage-controlled

Technical specifications:

Product Name	DMX decoder | 3 channel x 6 amp??re | constant voltage
Ean	8714984904088
Outer box qty	50st
Model	Dynamic
Housing	Metal housing
Programmable	Yes
Max. output current	6A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	127mm
Width	42mm
Height	33mm
Number of zones	1
Number of colour channels	3, RGB
Suitable for surface mounting	Yes
Suitable for built-in mounting	No

11.11.2026 - Disclaimer: information subject to change.

Input voltage	12 - 24V
Control method	DMX
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years