

DMX decoder || 4CH x 5A | 12~36V | RDM

ARTICLE NUMBER: 214-185

View this
product in
our
webshop



14.07.2026 - Disclaimer: information subject to change.

DMX512/RDM decoder with 4 PWM outputs for RGBW, RGB, tuneable white and single-colour LED lighting (constant voltage). Can be configured as a decoder or standalone master. Operates on 12–36V DC, with a total power output up to 720 W.

Key product features

- **Type of control:** DMX
- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 36
- **Input voltage (V):** 12 – 36
- **Max. output current (A):** 5
- **Control type:** Constant voltage

Technical specifications:


Product Name	DMX decoder 4CH x 5A 12~36V RDM
Ean	8714984946309
Outer box qty	64st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	5A
Output voltage	12 - 36V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	170mm
Width	53.4mm
Height	28mm
Number of zones	1
Number of colour channels	4, RGBW

14.07.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	No
Input voltage	12 - 36V
Control method	DMX
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.

