


Easy connect | power supply | 24V | 60W

ARTICLE NUMBER: 213-600

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Power supply for the Tronix Easy Connect system. Compact 24 V power supply for plug-and-play connection of Easy Connect spots, sensors and controllers.

Key product features

- **Output voltage (V):** 24
- **Degree of protection (IP):** IP42
- **Power consumption (W):** 60
- **Input voltage (V):** 90 – 264

Technical specifications:


Product Name	Easy connect power supply 24V 60W
Ean	8714984954175
Outer box qty	1st
Housing	Plastic housing
Model	Static
Output voltage	24 - 24V
Output current	0 - 2.5mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	0 - 60W
Degree of protection (IP)	IP20
Length	164mm
Width	55mm
Height	18mm
Power consumption	18W
Input voltage	220 - 240V
Frequency input voltage	50 - 60Hz

24.08.2026 - Disclaimer: information subject to change.



PWM modulation	No
Overload protection	Yes
Overtemperature protection	Yes
Control method	Non-dimmable
Short-circuit protected	Yes
Ambient temperature	-20 - 45??C
Driver lifetime	50000h
Number of colour channels	1
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	No
Emergency power supply system	None
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.