

eldoLED | LINEARdrive 100/A | 4CH | 4 out | 100W | DMX/DALI

ARTICLE NUMBER: 214-352

View this
product in
our
webshop



eldoLED



14.07.2026 - Disclaimer: information subject to change.





Professional 4-channel LED controller for 12–24V RGBW, RGB, Tuneable White and single-colour applications. Compatible with DALI and DMX (RDM). Configurable via display or TOOLbox Pro.

Key product features

- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 120 – 277
- **Max. output current (A):** 2.8
- **Control type:** Constant voltage
- **Type of control:** DMX/DALI
- **Number of zones:** 4

Technical specifications:

Product Name	eldoLED LINEARdrive 100/A 4CH 4 out 100W DMX/DALI
Ean	8714984943971
Outer box qty	24st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	2.8A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	388mm
Width	42mm
Height	30mm
Number of zones	4
Number of colour channels	4, RGBW

14.07.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	120 - 277V
Control method	DMX/DALI
DIN-rail mounting	No
Brand	eldoLED
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.

