

eldoLED | LINEARdrive 200D-D2Z2C | 2CH | 2 out | DALI DT8

ARTICLE NUMBER: 214-356

View this
product in
our
webshop



eldoLED



14.07.2026 - Disclaimer: information subject to change.



Professional 2-channel DALI DT8 LED controller (12–28V DC) for Tuneable White and dual-channel applications up to 224 W. Flicker-free dimming down to 0.1% with HydraDrive.

Key product features

- **Type of control:** DALI
- **Number of colour channels:** 2
- **Output voltage (V):** 12 – 28
- **Input voltage (V):** 12 – 28
- **Max. output current (A):** 8
- **Control type:** Constant voltage
- **Number of zones:** 2

Technical specifications:

Product Name	eldoLED LINEARdrive 200D-D2Z2C 2CH 2 out DALI DT8
Ean	8714984944534
Outer box qty	12st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	8A
Output voltage	12 - 28V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	153mm
Width	50mm
Height	23mm
Number of zones	2
Number of colour channels	2, Tuneable White

14.07.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 28V
Control method	DALI
DIN-rail mounting	No
Brand	eldoLED
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.

