TRONIX guided by light

IR motion sensor | recesse mounted | IP20 | max. 200W

ARTICLE NUMBER: 214-120

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Recessed motion sensor for movement detection with 360° detection angle. Operates on 230V and automatically switches lighting based on movement and light level.

Key product features

- **Mounting method:** Built-in
- **Diameter reach on floor (m):** 6
- **Response value sensitivity adjustable:** Yes
- **Response value luminosity adjustable:** Yes
- **Max. duty cycle (min):** 8
- **With movement sensor:** Yes
- **With light sensor:** Yes

Technical specifications:

Product Name	IR motion sensor | recesse mounted | IP20 | max. 200W
Ean	8714984909083
Outer box qty	50st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	2.5m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	3m

Max. reach frontally	6m
Diameter reach on floor	6m
Detection angle horizontal	360 - 360??
Min. switch-on time	30s
Max. duty cycle	8min
With presence detector	No
With movement sensor	Yes
With light sensor	Yes
Response value sensitivity adjustable	Yes
Response value luminosity adjustable	Yes
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Max. switching power	200W
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

15.11.2026 - Disclaimer: information subject to change.

