TRONIX guided by light

IR motion sensor | recessed mounted | IP20 | max. 300W

ARTICLE NUMBER: 214-051

View this product in our webshop



13.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Recessed motion sensor with 360° detection range and adjustable light sensitivity. Suitable for ceiling installation at heights between 2.2 and 4 metres. Detects motion up to 6 metres and automatically switches lighting on when movement is detected.

Key product features

- **Mounting method:** Recessed
- **Diameter reach on floor (m):** 6
- **Response value sensitivity adjustable:** Yes
- **Response value luminosity adjustable:** Yes
- **Max. duty cycle (min):** 15
- **With movement sensor:** Yes
- **With light sensor:** Yes

Technical specifications:


Product Name	IR motion sensor | recessed mounted | IP20 | max. 300W
Ean	8714984936546
Outer box qty	100st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	4m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No

13.11.2026 - Disclaimer: information subject to change.

Max. reach sideways	3m
Max. reach frontally	6m
Diameter reach on floor	6m
Detection angle horizontal	360 - 360??
Min. switch-on time	10s
Max. duty cycle	15min
With presence detector	No
With movement sensor	Yes
With light sensor	Yes
Response value sensitivity adjustable	Yes
Response value luminosity adjustable	Yes
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Max. switching power	300W
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Glossy
Warranty	5 years
Dimming D4i	No

13.11.2026 - Disclaimer: information subject to change.





13.11.2026 - Disclaimer: information subject to change.