

IR motion sensor | recessed mounted | IP20 | max. 300W

ARTICLE NUMBER: 214-051

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT



Recessed motion sensor with 360° detection range and adjustable light sensitivity. Suitable for ceiling installation at heights between 2.2 and 4 metres. Detects motion up to 6 metres and automatically switches lighting on when movement is detected.

Key product features

- **Mounting method:** Recessed
- **Diameter reach on floor (m):** 6
- **Response value sensitivity adjustable:** Yes
- **Response value luminosity adjustable:** Yes
- **Max. duty cycle (min):** 15
- **With movement sensor:** Yes
- **With light sensor:** Yes


Technical specifications:

Product Name	IR motion sensor recessed mounted IP20 max. 300W
Ean	8714984936546
Outer box qty	100st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	4m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No

24.08.2026 - Disclaimer: information subject to change.

Max. reach sideways	3m
Max. reach frontally	6m
Diameter reach on floor	6m
Detection angle horizontal	360 - 360??
Min. switch-on time	10s
Max. duty cycle	15min
With presence detector	No
With movement sensor	Yes
With light sensor	Yes
Response value sensitivity adjustable	Yes
Response value luminosity adjustable	Yes
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Max. switching power	300W
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Glossy
Warranty	5 years
Dimming D4i	No

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.