

KNX actuator || 4CH x 5A | 12 ~ 36V

ARTICLE NUMBER: 214-191

View this
product in
our
webshop



14.07.2026 - Disclaimer: information subject to change.



Powerful 4-channel KNX controller for constant voltage LEDs – ideal for RGB(W) applications or independently controlling four channels in smart building management systems. Fully compatible with any standard KNX setup.

Key product features

- **Control type:** KNX
- **Output voltage (V):** 12 – 36
- **Input voltage (V):** 12 – 36
- **Max. output current (A):** 5

Technical specifications:

Product Name	KNX actuator 4CH x 5A 12 ~ 36V
Ean	8714984951693
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	5A
Output voltage	12 - 36V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	170mm
Width	53.4mm
Height	28mm
Number of zones	4
Number of colour channels	4, RGBW
Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes

14.07.2026 - Disclaimer: information subject to change.



Input voltage	12 - 36V
Control method	KNX
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

14.07.2026 - Disclaimer: information subject to change.