

LED driver | 100-700mA | 12 watt | DALI dimmable

ARTICLE NUMBER: 215-272

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



This sturdy LED driver has a maximum output of 12W and 100-700mA and is extremely well suited for use with various light sources. In addition, the compact size allows for easy placement of the driver. In addition, this driver offers the ability to communicate with DALI, allowing lighting to be optimized.

Features

- Output voltage 6 ~ 52 V
- Compact size 135*35*20 mm

Technical specifications:


Product Name	LED driver 100-700mA 12 watt DALI dimmable
Ean	8714984946149
Outer box qty	100st
Housing	Plastic housing
Model	Static
Output voltage	6 - 52V
Output current	100 - 700mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	12 - 12W
Degree of protection (IP)	IP20
Length	135mm
Width	35mm
Height	20mm
Power consumption	12W
Input voltage	200 - 240V
Frequency input voltage	50 - 60Hz
PWM modulation	Yes

24.08.2026 - Disclaimer: information subject to change.



Overload protection	Yes
Overtemperature protection	Yes
Control method	DALI
Short-circuit protected	Yes
Ambient temperature	-25 - 45??C
Driver lifetime	100000h
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant current
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.