

LED driver | 350mA | 8 watt | IP20 | 12 ~ 23  
volt | dimmable

ARTICLE NUMBER: 215-343

View this  
product in  
our  
webshop



14.07.2026 - Disclaimer: information subject to change.

This flicker-free LED driver has a maximum output of 8W and 350mA and is extremely well suited for use with various light sources. Thanks to the techniques present, this driver is flicker-free, which means that (dimnable) lighting looks calm at all times.

## Features

- Dimmable on phase cut-off and cut-on
- Output voltage from 12 ~ 23 V
- Super compact size 58\*36\*20 mm

## Technical specifications:


|                                        |                                                              |
|----------------------------------------|--------------------------------------------------------------|
| Product Name                           | LED driver   350mA   8 watt   IP20   12 ~ 23 volt   dimmable |
| Ean                                    | 8714984950962                                                |
| Outer box qty                          | 100st                                                        |
| Housing                                | Plastic housing                                              |
| Model                                  | Static                                                       |
| Output voltage                         | 12 - 23V                                                     |
| Output current                         | 350 - 350mA                                                  |
| Suitable for outdoor use               | Yes                                                          |
| Suitable for DC-voltage (primary side) | No                                                           |
| Output power                           | 8 - 8W                                                       |
| Degree of protection (IP)              | IP20                                                         |
| Length                                 | 58mm                                                         |
| Width                                  | 36mm                                                         |
| Height                                 | 20mm                                                         |
| Power consumption                      | 8W                                                           |
| Input voltage                          | 220 - 240V                                                   |
| Frequency input voltage                | 50 - 60Hz                                                    |
| Overload protection                    | Yes                                                          |

14.07.2026 - Disclaimer: information subject to change.



|                               |                       |
|-------------------------------|-----------------------|
| Overtemperature protection    | Yes                   |
| Control method                | Trailing edge dimming |
| Short-circuit protected       | Yes                   |
| Ambient temperature           | -20 - 60??C           |
| Driver lifetime               | 50000h                |
| DIN-rail mounting             | No                    |
| Brand                         | Tronix Lighting       |
| Dimmable                      | Yes                   |
| Emergency power supply system | None                  |
| Control type                  | Constant current      |
| Warranty                      | 5 years               |

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT