LED driver || 700mA | 20 watt | DALI dimmable

ARTICLE NUMBER: 215-262

View this product in our webshop



12.11.2026 - Disclaimer: information subject to change.

This sturdy LED driver has a maximum output of 20W and 700mA and is extremely well suited for use with various light sources. In addition, the compact size ensures that the driver can be easily placed. In addition, this driver offers the ability to communicate with DALI, allowing lighting to be optimized.

Features

- Dimmable using DALI
- Output voltage 2 ~ 28 V
- Compact size 122*52*30 mm


Technical specifications:

Product Name	LED driver || 700mA | 20 watt | DALI dimmable
Ean	8714984920248
Outer box qty	100st
Housing	Plastic housing
Model	Static
Output voltage	2 - 28V
Output current	700 - 700mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	20 - 20W
Degree of protection (IP)	IP20
Length	122mm
Width	52mm
Height	30mm
Power consumption	20W
Input voltage	220 - 240V
Frequency input voltage	- - -Hz

12.11.2026 - Disclaimer: information subject to change.

Overload protection	Yes
Overtemperature protection	Yes
Control method	DALI
Short-circuit protected	Yes
Ambient temperature	-20 - 50??C
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant current
Warranty	5 years

12.11.2026 - Disclaimer: information subject to change.



12.11.2026 - Disclaimer: information subject to change.