LED ropelight | 230V | 50m | horizontal | red PVC

ARTICLE NUMBER: 055-104

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

ROPE LIGHT 2.0: COLOR ALWAYS VISIBLE

Tronix Lighting introduces the 230V LED rope light 2.0: Rope lights with colored PVC, so the colors are always visible! Available in green, yellow, blue and red, they go perfectly with creating larger lighting designs. These rope lights, unlike traditional options, always retain their color. Thus, the light creation always remains visible, even when the rope light is turned off.

Features

- IP65
- Horizontal LED structure
- 36 DIP LEDs per meter
- Clippable per 100 cm rope light
- Including power cable (ungrounded schuko plug)

Technical specifications:

Product Name	LED ropelight | 230V | 50m | horizontal | red PVC
Ean	8714984926363
Outer box qty	1st
Model	Hose
Lamp type	LED not exchangeable
Lamp voltage	0 - 230V
Number of nodes per meter	36
Lamp power per meter	2.4W
Beam angle	360°
Voltage type	AC
Type of control gear	Not required
Input voltage tracklights	230V
With protective cover	No

15.11.2026 - Disclaimer: information subject to change.


Length of particular segments	1000mm
Degree of protection (IP)	IP65
Self-adhesive	No
Luminous flux per meter	100lm
Total length	50m
Colour of light	Red
Suitable for dimmer	Yes
Colour rendering index CRI	70-79
Diameter	13mm
Exchangeable control gear	No
Connection type	Other
Rated lifetime L70/B50 at 25 °C	20000h
Colour of light adjustable	No
Luminous flux per foot	30.48lm
Luminous flux adjustable	Continuously variable
Max. system power	120W
Beam angle adjustable	No
Luminaire efficacy	31.3lm/W
Power factor	0.95
Type of wiring	Ending
Number of poles	2
Type of power supply	Mains power supply
Connectable conductor cross section	0.75 - 0.75mm²
Colour temperature	Red
Warranty	2 years
Ambient temperature	-20 - 50°C
Lowest bending radius	100mm


15.11.2026 - Disclaimer: information subject to change.


Connection cable length	1.5m











15.11.2026 - Disclaimer: information subject to change.