

LED strip CC || 60LED/m 2835 | 20m | IP20 |
3000K | CRI>90

ARTICLE NUMBER: 127-111

View this
product in
our
webshop



14.07.2026 - Disclaimer: information subject to change.

Constant current single color LED strip for indoor use. For lengths up to 20 meter with a special technology for an equal distribution of light output. With 3M adhesive tape on the back for easy installation.

Features

- 6 LEDs = 100 mm
- IP20 for indoor use
- High color rendering index CRI>90
- Constant color temperature MacAdam: <3
- Long lifespan of 54.000 hours (L70)
- Double layer PCB for good heat dissipation




Technical specifications:

Product Name	LED strip CC 60LED/m 2835 20m IP20 3000K CRI>90
Ean	8714984920606
Outer box qty	25st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	60
Lamp power per meter	8.5W
Beam angle	120°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V
With protective cover	No
Length of particular segments	100mm
Degree of protection (IP)	IP20
Self-adhesive	Yes

14.07.2026 - Disclaimer: information subject to change.

Luminous flux per meter	780lm
Total length	20m
Width	12mm
Height/depth	1.2mm
Colour of light	White
Suitable for dimmer	Yes
Colour rendering index CRI	90-100
Exchangeable control gear	Yes
Connection type	Other
Rated lifetime L70/B50 at 25 °C	54000h
Colour of light adjustable	No
Luminous flux per foot	237.74lm
Luminous flux adjustable	Continuously variable
LED type	SMD
Max. system power	170W
Beam angle adjustable	No
Luminaire efficacy	91.8lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	2
Connectable conductor cross section	0.5 - 2.5mm ²
Colour temperature	3000K
Warranty	3 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.