

LED strip CC | 60LED/m 5050 | 15m | IP20 | RGBW

ARTICLE NUMBER: 127-115

View this
product in
our
webshop



14.09.2026 - Disclaimer: information subject to change.

Constant current RGBW (4in1) LED strip for indoor use. For lengths up to 15 meter with a special technology for an equal distribution of light output. With 3M adhesive tape on the back for easy installation.

Features

- 6 LEDs = 100 mm
- RGB + 2700K warm white
- IP20 for indoor use
- High color rendering index CRI>90
- Constant color temperature MacAdam: <3
- Long lifespan of 54.000 hours (L70)
- Double layer PCB for good heat dissipation

Technical specifications:




Product Name	LED strip CC 60LED/m 5050 15m IP20 RGBW
Ean	8714984926219
Outer box qty	10st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	60
Lamp power per meter	11W
Beam angle	120°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V
With protective cover	No
Length of particular segments	100mm
Degree of protection (IP)	IP20

14.09.2026 - Disclaimer: information subject to change.



Self-adhesive	Yes
Luminous flux per meter	730lm
Total length	15m
Width	12mm
Height/depth	2mm
Colour of light	RGBW
Suitable for dimmer	Yes
Exchangeable control gear	Yes
Connection type	Other
Rated lifetime L70/B50 at 25 °C	54000h
Colour of light adjustable	Continuously variable
Luminous flux per foot	222.5lm
Luminous flux adjustable	Continuously variable
LED type	SMD
Max. system power	165W
Beam angle adjustable	No
Luminaire efficacy	66.4lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	5
Connectable conductor cross section	0.5 - 2.5mm ²
Colour temperature	RGBW
Warranty	3 years
Ambient temperature	-20 - 50°C
Lowest bending radius	50mm

14.09.2026 - Disclaimer: information subject to change.



14.09.2026 - Disclaimer: information subject to change.