TRONIX guided by light

LED strip | COB | 13W/m | 50m | IP20 | 2700K | free cuttable

ARTICLE NUMBER: 127-211

View this product in our webshop



25.11.2026 - Disclaimer: information subject to change.

This COB LED strip provides a continuous light line with no visible diodes. Freely cuttable for ultimate flexibility. Available in a colour temperature of 2700K, IP20 and a total length of 50 metres.

Key Product Features

- **Lamp power per meter (W):** 13
- **Colour temperature (K):** 2700
- **Width (mm):** 8
- **Length of particular segments (mm):** 4
- **Degree of protection (IP):** IP20
- **Total length (m):** 50

Technical specifications:

Product Name	LED strip | COB | 13W/m | 50m | IP20 | 2700K | free cuttable
Ean	8714984957688
Outer box qty	1st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	528
Lamp power per meter	13W
Beam angle	140°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V

With protective cover	No
Length of particular segments	4mm
Degree of protection (IP)	IP20
Self-adhesive	Yes
Luminous flux per meter	990lm
Total length	50m
Width	8mm
Height/depth	2mm
Colour of light	White
Suitable for dimmer	Yes
Colour rendering index CRI	90-100
Exchangeable control gear	Yes
Connection type	Cable
Rated lifetime L70/B50 at 25 °C	50000h
Colour of light adjustable	No
Luminous flux adjustable	Continuously variable
LED type	COB
Max. system power	650W
Beam angle adjustable	No
Luminaire efficacy	75lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	2
Type of power supply	Other
Connectable conductor cross section	0.5 - 2.5mm²
Colour temperature	2700K
Warranty	5 years


25.11.2026 - Disclaimer: information subject to change.

Ambient temperature	-25 - 45°C
Lowest bending radius	10mm
Connection cable length	0.3m









25.11.2026 - Disclaimer: information subject to change.