

LED strip || COB 384LED/m | 8W/m | IP20 |
4000K | CRI>90

ARTICLE NUMBER: 127-034

View this
product in
our
webshop



14.07.2026 - Disclaimer: information subject to change.

This COB LED strip has no visible LED interruptions. This makes it possible to use the COB strip in undraped aluminium profiles with a clear cover. With 3M adhesive tape on the back for easy installation.

Maximum 5 meters of LED strip in one single length. Looking to connect multiple lengths to one single power supply? In that case, choose separate LED strips of up to 5 meters each. For a 10-meter run, simply power the strip from both ends.

Features

- Beam angle 180°
- High color rendering index CRI>90
- Constant color temperature MacAdam: <3
- IP20 for indoor use
- Long lifespan of 54.000 hours (L70)
- Double layer PCB for good heat dissipation



Technical specifications:

Product Name	LED strip COB 384LED/m 8W/m IP20 4000K CRI>90
Ean	8714984940864
Outer box qty	25st
Model	Strip
Lamp type	LED not exchangeable
Lamp voltage	0 - 24V
Number of nodes per meter	384
Lamp power per meter	10W
Beam angle	180°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	24V

14.07.2026 - Disclaimer: information subject to change.

With protective cover	No
Length of particular segments	41.66mm
Degree of protection (IP)	IP20
Self-adhesive	Yes
Luminous flux per meter	1000lm
Total length	5m
Width	8mm
Height/depth	2mm
Colour of light	White
Suitable for dimmer	Yes
Colour rendering index CRI	90-100
Exchangeable control gear	Yes
Connection type	Other
Rated lifetime L70/B50 at 25 °C	54000h
Colour of light adjustable	No
Luminous flux per foot	304.8lm
Luminous flux adjustable	Continuously variable
LED type	COB
Max. system power	50W
Beam angle adjustable	No
Luminaire efficacy	100lm/W
Power factor	1
Type of wiring	Loop-through wiring included
Number of poles	2
Connectable conductor cross section	0.5 - 2.5mm ²
Colour temperature	4000K
Warranty	3 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.