

LL2 light profile 200cm, up&down, powder coated black RAL9005

ARTICLE NUMBER: 8107111

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.

The LL2 up & down profile has a standard length of 200 cm and is suitable for installing LED strips. This makes it possible to place LED strips up to 5 mm wide at the top of the profile, while the bottom offers space for LED strips up to 40 mm wide. This profile can be combined with profile LL2.1, which you can connect with a mounting bracket. In combination with fall protection Z28, this set is extremely suitable as independent linear lighting for offices and stores.




Features

- To be combined with LL2.1 inlay profile
- Can be combined with various accessories such as the Z28 fall protection, Z03 suspension cables or C38 (top) and C24 (bottom) covers
- Type: Luminaire
- Max. width LED strip: 5 mm (top) or 40 mm (bottom)

Technical specifications:

Product Name	LL2 light profile 200cm, up&down,powder coated black RAL9005
Ean	8714984935419
Outer box qty	1st
Colour	Black
Type	Luminair profile
Material	Aluminium
Length	2000mm
Length	2 metres
Width	60mm
Height	78.9mm
Max. width LED strip	43.4mm
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.