# LL2 light profile 200cm, up&down,powder coated black RAL9005

ARTICLE NUMBER: 8107111

View this product in our webshop



16.11.2026 - Disclaimer: information subject to change.


The LL2 up & down profile has a standard length of 200 cm and is suitable for installing LED strips. This makes it possible to place LED strips up to 5 mm wide at the top of the profile, while the bottom offers space for LED strips up to 40 mm wide. This profile can be combined with profile LL2.1, which you can connect with a mounting bracket. In combination with fall protection Z28, this set is extremely suitable as independent linear lighting for offices and stores.


**Features**


- To be combined with LL2.1 inlay profile
- Can be combined with various accessories such as the Z28 fall protection, Z03 suspension cables or C38 (top) and C24 (bottom) covers
- Type: Luminaire
- Max. width LED strip: 5 mm (top) or 40 mm (bottom)

**Technical specifications:**

| | |
|---|---|
| Product Name | LL2 light profile 200cm, up&down,powder coated black RAL9005 |
| Ean | 8714984935419 |
| Outer box qty | 1st |
| Colour | Black |
| Type | Luminair profile |
| Material | Aluminium |
| Length | 2000mm |
| Length | 2 metres |
| Width | 60mm |
| Height | 78.9mm |
| Max. width LED strip | 43.4mm |
| Warranty | 5 years |




16.11.2026 - Disclaimer: information subject to change.