
TRONIX guided by light

LL2.1 inlay profile 200cm, alu anodized

ARTICLE NUMBER: 8107123

View this product in our webshop



16.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com


The LL2.1 up & down profile has a standard length of 200 cm and is suitable for installing LED strips. This makes it possible to place LED strips up to 5 mm wide at the top of the profile, while the bottom offers space for LED strips up to 40 mm wide. This profile can be combined with profile LL2, which you can connect with a mounting bracket. In combination with fall protection Z28, this set is extremely suitable as independent linear lighting for offices and stores.


Features


- To be combined with LL2 base profile
- Can be combined with various accessories such as the Z28 fall protection, Z03 suspension cables or C38 (top) and C24 (bottom) covers
- Type: Luminaire
- Max. width LED strip: 5 mm (top) or 40 mm (bottom)

Technical specifications:

Product Name	LL2.1 inlay profile 200cm, alu anodized
Ean	8714984943599
Outer box qty	1st
Colour	Aluminium
Type	Luminair profile
Material	Aluminium
Length	2000mm
Length	2 metres
Width	60mm
Height	78mm
Max. width LED strip	40mm
Warranty	5 years







16.11.2026 - Disclaimer: information subject to change.