
TRONIX guided by light

LTECH | LM-36-24-G1T2 | 24V | 36W | trailing edge

ARTICLE NUMBER: 215-523

View this product in our webshop



12.11.2026 - Disclaimer: information subject to change.

With an output of up to 36 watts, this LTECH LED transformer is an excellent power supply for LED lighting. This transformer provides a smooth dimming experience using the available technologies.

Features


- Soft-on and fade-in dimming function for optimal comfort
- Flicker-free dimming range of 0 ~ 100% when combined with suitable LED lamps

Technical specifications:

Product Name	LTECH | LM-36-24-G1T2 | 24V | 36W | trailing edge
Ean	8714984941588
Outer box qty	50st
Housing	Plastic housing
Model	Static
Output voltage	24 - 24V
Output current	1500 - 1500mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	0 - 36W
Degree of protection (IP)	IP20
Length	210mm
Width	35mm
Height	30mm
Power consumption	36W
Input voltage	220 - 240V
Frequency input voltage	50 - 60Hz
Overload protection	Yes
Overtemperature protection	Yes

12.11.2026 - Disclaimer: information subject to change.

Control method	Trailing edge dimming
Short-circuit protected	Yes
Ambient temperature	-20 - 50??C
Driver lifetime	50000h
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant voltage
Warranty	5 years



12.11.2026 - Disclaimer: information subject to change.