TRONIX guided by light

LTECH | LM-75-24-G1T2 | 24V | 75W | trailing edge

ARTICLE NUMBER: 215-521

View this product in our webshop



12.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

With an output of up to 75 watts, this LTECH LED transformer is an excellent power supply for LED lighting. This transformer provides a smooth dimming experience using the available technologies.

Features


- Leading edge (trailing edge) and trailing edge (ELV)
- Dimming range of 0 ~ 100% in combination with suitable LED lamps
- Flicker-free dimming

Technical specifications:

Product Name	LTECH | LM-75-24-G1T2 | 24V | 75W | trailing edge
Ean	8714984941243
Outer box qty	50st
Housing	Plastic housing
Model	Static
Output voltage	24 - 24V
Output current	6250 - 6250mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	0 - 75W
Degree of protection (IP)	IP20
Length	293mm
Width	43mm
Height	30mm
Power consumption	75W
Input voltage	220 - 240V
Frequency input voltage	50 - 60Hz
Overload protection	Yes

12.11.2026 - Disclaimer: information subject to change.

Overtemperature protection	Yes
Control method	Trailing edge dimming
Short-circuit protected	Yes
Ambient temperature	-20 - 50??C
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant voltage
Warranty	5 years



12.11.2026 - Disclaimer: information subject to change.