Neon Flex | 4x8mm | 24V | 10W/m | 2700K | 30m | solder free

ARTICLE NUMBER: 111-002

View this product in our webshop



13.11.2026 - Disclaimer: information subject to change.

This compact 24V Neon Flex, measuring just 4 x 8 mm, has been developed for interior fit-out and furniture lighting applications. Its short cutting length of 5.56 mm and solder-free connection system make precise customisation quick and easy.

Key product features:

- **Lamp voltage (V):** 24
- **Lamp power per meter (W):** 10
- **Colour temperature (K):** 2700K
- **Width (mm):** 4
- **Length of particular segments (mm):** 5.56
- **Height/depth (mm):** 8
- **Degree of protection (IP):** IP20

Technical specifications:

Product Name	Neon Flex | 4x8mm | 24V | 10W/m | 2700K | 30m | solder free
Ean	8714984957695
Outer box qty	1st
Model	Hose
Lamp type	LED not exchangeable
Lamp voltage	24 - 24V
Lamp power per meter	10W
Beam angle	110°
Voltage type	DC
Type of control gear	LED operating device voltage-controlled
With protective cover	No
Length of particular segments	5.56mm

13.11.2026 - Disclaimer: information subject to change.

Degree of protection (IP)	IP20
Self-adhesive	No
Luminous flux per meter	185lm
Total length	30m
Width	4mm
Height/depth	8mm
Colour of light	White
Suitable for dimmer	Yes
Colour rendering index CRI	90-100
Exchangeable control gear	Yes
Connection type	Cable
Rated lifetime L70/B50 at 25 °C	50000h
Colour of light adjustable	No
Luminous flux adjustable	Continuously variable
LED type	SMD
Max. system power	300W
Beam angle adjustable	No
Luminaire efficacy	18.5lm/W
Power factor	1
Type of wiring	Ending
Number of poles	2
Type of power supply	Other
Connectable conductor cross section	0.5 - 2.5mm²
Colour temperature	2700K
Warranty	5 years
Ambient temperature	-40 - 55°C
Lowest bending radius	60mm


13.11.2026 - Disclaimer: information subject to change.


Connection cable length	0.3m











13.11.2026 - Disclaimer: information subject to change.