# Philips power supply | 24V | IP67 | 75W

ARTICLE NUMBER: 215-462

View this product in our webshop

Xitanium Driver
PHILIPS




16.11.2026 - Disclaimer: information subject to change.

These robust Philips Xitanium LED drivers provide a stable 24V DC output voltage. With high efficiency, IP67 protection and comprehensive safety features, they are suitable for professional LED lighting. Available in 75W, 100W, 150W and 300W versions.

**Key product features:**

- **Output voltage (V):** 24
- **Degree of protection (IP):** IP67
- **Power consumption (W):** 75
- **Input voltage (V):** 110 - 293


**Technical specifications:**

| | |
|---|---|
| Product Name | Philips power supply \| 24V \| IP67 \| 75W |
| Ean | 8719514446441 |
| Outer box qty | 25st |
| Housing | Encapsulated |
| Model | Static |
| Output voltage | 24 - 24V |
| Output current | 940 - 3125mA |
| Suitable for outdoor use | Yes |
| Suitable for DC-voltage (primary side) | No |
| Output power | 22.8 - 75W |
| Degree of protection (IP) | IP67 |
| Length | 140mm |
| Width | 58mm |
| Height | 32.5mm |
| Power consumption | 75W |
| Input voltage | 110 - 293V |
| Frequency input voltage | 47 - 63Hz |

16.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Overload protection | Yes |
| Overtemperature protection | Yes |
| Control method | Non-dimmable |
| Short-circuit protected | Yes |
| Ambient temperature | -40 - 65??C |
| Driver lifetime | 50000h |
| Number of colour channels | 1 |
| Brand | Philips |
| Dimmable | No |
| Emergency power supply system | None |
| Control type | Constant voltage |
| Warranty | 5 years |
| Suitable for DIN rail (top hat rail) mounting | No |
| Interface Pulse Width Modulation (PWM) | No |






16.11.2026 - Disclaimer: information subject to change.