

Post top light | black | 12/20/30/40W | 2700K/3300K/4000K

ARTICLE NUMBER: 220-041

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT



This lamp head is not only very sturdy, but also provides sufficient light in combination with three different color temperatures. Due to the even, soft and flicker-free light, these lamps are extremely well suited for placement in the garden, at a store or at a business premises.

Features

- Wattage adjustable by powerswitch (4 positions)
- Adjustable by means of a CCT switch in the color temperatures 2700K, 3300K and 4000K



Technical specifications:

Product Name	Post top light black 12/20/30/40W 2700K/3300K/4000K
Ean	8714984946965
Outer box qty	1st
Dimmable	No
Type	Post-top fixture
Lamp type	LED not exchangeable
Lamp holder	None
Housing colour	Black
Housing material	Aluminium
Material cover	Plastic, transparent
Connection type	Other
Mounting method	Post top/side entry
Height/depth	420mm
Diameter	371mm
Colour consistency (McAdam ellipse)	SDCM3
Colour temperature	2700 - 4000K
Colour rendering index CRI	80-89
Voltage type	AC

24.08.2026 - Disclaimer: information subject to change.

Nominal voltage	228 - 228V
Nominal current	178 - 178mA
Suitable for lamp power	0 - 0W
Suitable for spigot size	60 - 60mm
Number of poles	3
Light source included	Yes, fixed LED
Light distributor	Reflector
Cable length	0.5m
With connection cable	Yes
Connectable conductor cross section	0.75 - 2.5mm ²
Type of control gear	Not required
Exchangeable control gear	No
With control gear	Yes
Degree of protection (IP)	IP66
Surface protection	Powder coating
Impact strength	IK09
Rated lifetime L70/B50 at 25 °C	131000h
Max. system power	40W
Rated luminous flux according to IEC 62722-2- 1	1100 - 3200lm
Luminaire efficacy	84lm/W
Power factor	0.96
Type of wiring	Ending
Warranty	5 years
Ambient temperature	-30 - 50°C
Connection cable length	5m

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.