TRONIX guided by light

# Power supply | 24V | 30W | line type | indoor

ARTICLE NUMBER: 215-421

View this product in our webshop




16.11.2026 - Disclaimer: information subject to change.

Professional 30W constant-voltage LED driver for a stable power supply to LED lighting. Its slim housing, high efficiency and built-in protection make it suitable for a wide range of professional lighting installations.

### Key Product Features


- **Suitable for constant voltage:** Yes
- **Output voltage (V):** 24
- **Output current (mA):** 0–1250
- **Output power (W):** 0–30
- **IP rating:** IP20
- **Input voltage (V):** 198–264
- **Control type:** Constant voltage

### Technical specifications:

| | |
|---|---|
| Product Name | Power supply \| 24V \| 30W \| line type \| indoor |
| Ean | 8714984948747 |
| Outer box qty | 100st |
| Housing | Plastic housing |
| Model | Static |
| Output voltage | 24 - 24V |
| Output current | 0 - 1250mA |
| Suitable for outdoor use | No |
| Suitable for DC-voltage (primary side) | Yes |
| Output power | 0 - 30W |
| Degree of protection (IP) | IP20 |
| Length | 251mm |
| Width | 30mm |
| Height | 16mm |
| Power consumption | 30W |

16.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Input voltage | 198 - 264V |
| Frequency input voltage | 0 - 60Hz |
| Overload protection | Yes |
| Overtemperature protection | Yes |
| Control method | Non-dimmable |
| Short-circuit protected | Yes |
| Ambient temperature | -20 - 50°C |
| Driver lifetime | 50000h |
| Number of colour channels | 1 |
| DIN-rail mounting | No |
| Brand | Tronix Lighting |
| Dimmable | No |
| Emergency power supply system | None |
| Control type | Constant voltage |
| Warranty | 5 years |
| Suitable for DIN rail (top hat rail) mounting | No |
| Interface Pulse Width Modulation (PWM) | No |


30 mm
251 mm
16 mm