TRONIX guided by light

Power supply | 24V | 40W | block type indoor

ARTICLE NUMBER: 215-414

View this product in our webshop



16.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

This sturdy LED driver has a maximum output of 40W and 24V and is extremely well suited for use with various light sources. In addition, the compact size allows for easy placement of the driver.

Features


- Output power 1667 mA
- Compact size 166*52*24 mm

Technical specifications:

Product Name	Power supply | 24V | 40W | block type indoor
Ean	8714984927612
Outer box qty	50st
Housing	Plastic housing
Model	Static
Output voltage	24 - 24V
Output current	1667 - 1667mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	0 - 40W
Degree of protection (IP)	IP20
Length	166mm
Width	52mm
Height	34mm
Power consumption	40W
Input voltage	220 - 240V
Frequency input voltage	50 - 60Hz
Overload protection	Yes
Overtemperature protection	Yes
Control method	Non-dimmable

16.11.2026 - Disclaimer: information subject to change.

Short-circuit protected	Yes
Ambient temperature	-20 - 50??C
Driver lifetime	30000h
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	No
Emergency power supply system	None
Control type	Constant voltage
Warranty	5 years
Suitable for DIN rail (top hat rail) mounting	No
Interface Pulse Width Modulation (PWM)	No


52mm
166 mm
34mm