Power supply | 24V | 40W | trailing edge | indoor

ARTICLE NUMBER: 215-435

View this product in our webshop



13.11.2026 - Disclaimer: information subject to change.

This phase-dimmable 24V constant voltage 40W LED driver supports leading-edge dimming, trailing-edge dimming and Push-Dim. The compact housing and extensive protection features make it suitable for a wide range of LED installations.

Key product features

- **Suitable for constant voltage:** Yes
- **Output voltage (V):** 24
- **Output power (W):** 1 – 40
- **Trailing-edge dimmable:** Yes
- **Leading-edge dimmable:** Yes
- **Input voltage (V):** 200 - 240
- **Control type:** Voltage controlled


Technical specifications:

Product Name	Power supply | 24V | 40W | trailing edge | indoor
Ean	8714984957251
Outer box qty	70st
Housing	Plastic housing
Model	Static
Output voltage	24 - 24V
Output current	1650 - 1650mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	0.4 - 40W
Degree of protection (IP)	IP20

13.11.2026 - Disclaimer: information subject to change.

Length	168.5mm
Width	44mm
Height	30mm
Power consumption	40W
Input voltage	200 - 240V
Frequency input voltage	50 - 60Hz
Overload protection	Yes
Overtemperature protection	Yes
Control method	Trailing edge dimming
Short-circuit protected	Yes
Ambient temperature	-20 - 50°C
Driver lifetime	50000h
Number of colour channels	1
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant voltage
Warranty	5 years
Suitable for DIN rail (top hat rail) mounting	No
Interface Pulse Width Modulation (PWM)	No

13.11.2026 - Disclaimer: information subject to change.



13.11.2026 - Disclaimer: information subject to change.