


PS230 || icicle light | 2x0,8m | wht wire |  
3000K WW & FL WW

ARTICLE NUMBER: 007-054

View this  
product in  
our  
webshop



24.08.2026 - Disclaimer: information subject to change.

The Pro system Modular 230V is a distinctive system in the professional LED world. The system has countless possibilities when it comes to creating its own lighting design.

Whether it is about decorating a house, restaurant, store, shop window, facade or trees, the system offers a solution for everything!

### Features

- IP65
- High-quality material composition, for a long service life and more ease of use
- Matching light colors in the Rope Light and 3D Motifs range
- Max. 50 meters in one single length. Connect more lengths to one power cable? Then work with dividers to create multiple lengths of max. 50 meters each.

### Technical specifications:



|                           |                                                              |
|---------------------------|--------------------------------------------------------------|
| Product Name              | PS230    icicle light   2x0,8m   wht wire   3000K WW & FL WW |
| Ean                       | 8714984931343                                                |
| Outer box qty             | 10st                                                         |
| Lamp type                 | LED not exchangeable                                         |
| Number of light points    | 152                                                          |
| With light source         | Yes                                                          |
| Connected load            | 11W                                                          |
| Suitable for outdoor use  | Yes                                                          |
| Voltage type              | AC                                                           |
| Couplable                 | Yes                                                          |
| Type of control gear      | LED operating device voltage-controlled                      |
| Input voltage tracklights | 230V                                                         |
| Degree of protection (IP) | IP65                                                         |

24.08.2026 - Disclaimer: information subject to change.



|                                     |                              |
|-------------------------------------|------------------------------|
| Type                                | Icicle light                 |
| Nominal voltage                     | 230 - 230V                   |
| Colour                              | White                        |
| Total length                        | 2m                           |
| Height/depth                        | 800mm                        |
| Colour of light                     | White                        |
| Exchangeable control gear           | No                           |
| Connection type                     | Other                        |
| Rated lifetime L70/B50 at 25 °C     | 20000h                       |
| Power factor                        | 0.95                         |
| Type of wiring                      | Loop-through wiring included |
| Number of poles                     | 2                            |
| Type of power supply                | Mains power supply           |
| Connectable conductor cross section | 0.5 - 0.5mm²                 |
| Colour temperature                  | 3000K                        |
| Warranty                            | 2 years                      |

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.