

# PS36 | power supply | 72W | 144m or 1440LEDs

ARTICLE NUMBER: 018-008

View this  
product in  
our  
webshop



14.07.2026 - Disclaimer: information subject to change.



Waterproof 36V LED power supply (IP67) with Schuko plug, suitable for seasonal and outdoor installations. Available in 36W, 72W, 100W and 200W.

## Key product features

- **Output voltage (V):** 36
- **Degree of protection (IP):** IP67
- **Power consumption (W):** 72
- **Input voltage (V):** 176-264

## Technical specifications:

|                                        |                                              |
|----------------------------------------|----------------------------------------------|
| Product Name                           | PS36   power supply   72W   144m or 1440LEDs |
| Ean                                    | 8714984951099                                |
| Outer box qty                          | 10st                                         |
| Housing                                | Encapsulated                                 |
| Model                                  | Static                                       |
| Output voltage                         | 36 - 36V                                     |
| Output current                         | 0 - 2000mA                                   |
| Suitable for outdoor use               | Yes                                          |
| Suitable for DC-voltage (primary side) | No                                           |
| Output power                           | 0 - 72W                                      |
| Degree of protection (IP)              | IP67                                         |
| Length                                 | 170mm                                        |
| Width                                  | 40mm                                         |
| Height                                 | 30mm                                         |
| Power consumption                      | 72W                                          |
| Input voltage                          | 176 - 264V                                   |
| Frequency input voltage                | 50 - 60Hz                                    |
| PWM modulation                         | No                                           |
| Overload protection                    | Yes                                          |

14.07.2026 - Disclaimer: information subject to change.



|                               |                  |
|-------------------------------|------------------|
| Overtemperature protection    | Yes              |
| Short-circuit protected       | Yes              |
| Ambient temperature           | -40 - 60??C      |
| Driver lifetime               | 50000h           |
| DIN-rail mounting             | No               |
| Brand                         | Tronix Lighting  |
| Dimmable                      | No               |
| Emergency power supply system | None             |
| Control type                  | Constant voltage |
| Warranty                      | 2 years          |

14.07.2026 - Disclaimer: information subject to change.