TRONIX guided by light

PS36 | string | 3m | black wire | 3000K WW

ARTICLE NUMBER: 018-501

View this product in our webshop





15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Pro System Modular 36V is a low voltage modular lighting system for creating safe lighting designs in public places such as neighborhood parks, shopping centers and squares.

Are you already familiar with Tronix pro System Modular 36V? Then you are probably also aware of the endless possibilities in lighting design and applications!

Features

- IP44
- Safe lighting designs due to the low voltage 36V
- Advanced material composition for an even longer life and greater ease of use
- Max. 50 meters in one single length. Connect more lengths to one power supply? Then work with dividers to create multiple lengths of max. 50 meters each.

Technical specifications:


Product Name	PS36 | string | 3m | black wire | 3000K WW
Ean	8714984939462
Outer box qty	20st
Lamp type	LED not exchangeable
Number of light points	30
With light source	Yes
Connected load	2W
Suitable for outdoor use	Yes
Voltage type	DC
Couplable	Yes
Type of control gear	LED operating device voltage-controlled
Input voltage tracklights	36V


15.11.2026 - Disclaimer: information subject to change.

Degree of protection (IP)	IP44
Type	Light string
Nominal voltage	36 - 36V
Colour	Black
Total length	3m
Colour of light	White
Exchangeable control gear	No
Connection type	Other
Rated lifetime L70/B50 at 25 ??C	20000h
Power factor	0.95
Type of wiring	Loop-through wiring included
Number of poles	2
Type of power supply	Mains power supply
Connectable conductor cross section	0.5 - 0.5mm??
Colour temperature	3000K
Warranty	2 years

15.11.2026 - Disclaimer: information subject to change.







15.11.2026 - Disclaimer: information subject to change.