

Remote control | 5 zones

ARTICLE NUMBER: 214-131

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



The 214-131 remote control features switching and dimming functions, operates by RF signal and is suitable for switching or dimming single color LED lighting. The compact design is accompanied by a user-friendly interface, allowing one to control up to five sundials separately. In addition, this remote offers a dimming range of 0.1% to 100% via logarithmic dimming with 256 levels, making smooth dimming without flickering a given. The internal battery powers the remote control for two years, combined with a maximum range of 20 meters.

Wireless dimming of LED strips and LED modules is now possible everywhere

For LED applications with constant voltage (12/24V): Use 1-channel controller 214-147 or 4-channel controller 214-132.

For constant-current LED applications: use 1-channel controller 214-148 or 4-channel controller 214-133.

Each controller requires a power supply.

Technical specifications:

Product Name	Remote control 5 zones
Ean	8714984910362
Outer box qty	100st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Output voltage	0 - 0V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	136.3mm
Width	38.9mm
Height	10.7mm

24.08.2026 - Disclaimer: information subject to change.



Number of colour channels	1, Single Colour
Suitable for surface mounting	Yes
Suitable for built-in mounting	No
Input voltage	3 - 3V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.