

RF | controller | RGB | 12~24V | small

ARTICLE NUMBER: 213-013

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Compact RF LED controller for RGB lighting with seamless adjustment of colour, brightness, and effects. Suitable for short RGB LED strips or installations with limited space. Operated via remote control.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 3
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 6
- **Control type:** Constant voltage

Technical specifications:


Product Name	RF controller RGB 12~24V small
Ean	8714984952980
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	6A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	76mm
Width	23.5mm
Height	8.7mm
Number of zones	1
Number of colour channels	3, RGB

24.08.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT