# RF | controller | RGB | 12~24V | small

ARTICLE NUMBER: 213-013

View this product in our webshop




15.11.2026 - Disclaimer: information subject to change.

Compact RF LED controller for RGB lighting with seamless adjustment of colour, brightness, and effects. Suitable for short RGB LED strips or installations with limited space. Operated via remote control.

### Key product features


- **Type of control:** RF
- **Number of colour channels:** 3
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 6
- **Control type:** Constant voltage

### Technical specifications:

| | |
|---|---|
| Product Name | RF \| controller \| RGB \| 12~24V \| small |
| Ean | 8714984952980 |
| Outer box qty | 1st |
| Model | Dynamic |
| Housing | Plastic housing |
| Programmable | No |
| Max. output current | 6A |
| Output voltage | 12 - 24V |
| Suitable for outdoor use | No |
| Degree of protection (IP) | IP20 |
| Length | 76mm |
| Width | 23.5mm |
| Height | 8.7mm |
| Number of zones | 1 |
| Number of colour channels | 3, RGB |

15.11.2026 - Disclaimer: information subject to change.

| | |
|---|---|
| Suitable for surface mounting | Yes |
| Suitable for built-in mounting | Yes |
| Input voltage | 12 - 24V |
| Control method | RF |
| DIN-rail mounting | No |
| Brand | Tronix Lighting |
| Compatible with Casambi | No |
| Control type | Constant voltage |
| Warranty | 5 years |




15.11.2026 - Disclaimer: information subject to change.