

RF | controller | RGBW | 12~24V | small

ARTICLE NUMBER: 213-014

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Compact RF LED controller for RGBW lighting with smooth control of colour, brightness and lighting effects. Supports synchronisation of multiple controllers and offers a choice of 10 dynamic programmes.

Key product features

- **Type of control:** RF
- **Nuber of colour channelsm:** 4
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 6
- **Control type:** Constant voltage

Technical specifications:


Product Name	RF controller RGBW 12~24V small
Ean	8714984952997
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	6A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	76mm
Width	23.5mm
Height	8.7mm
Number of zones	1
Number of colour channels	4, RGBW
Suitable for surface mounting	Yes

24.08.2026 - Disclaimer: information subject to change.



Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT