


RF | controller | SC | 12~24V | small

ARTICLE NUMBER: 213-011

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Compact RF LED controller for single-colour lighting with stepless dimming from 0 to 100%. Supports manual operation and wireless control, including synchronisation with multiple controllers.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 1
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 5
- **Control type:** Constant voltage

Technical specifications:


Product Name	RF controller SC 12~24V small
Ean	8714984952966
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	5A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	76mm
Width	23.5mm
Height	8.7mm
Number of zones	1
Number of colour channels	1, Single Colour

24.08.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT