TRONIX guided by light

RF | controller | SC | 12~48V | adjustable fade

ARTICLE NUMBER: 213-001

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

RF controller with soft fade-in/fade-out for single-colour lighting. Supports smooth 0–100% dimming via push button or RF remote. Compact design, memory function and adjustable fade time for optimal visual comfort.

Key product features


- **Type of control:** RF
- **Number of colour channels:** 1
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 8
- **Control type:** Voltage-controlled

Technical specifications:

Product Name	RF | controller | SC | 12~48V | adjustable fade
Ean	8714984952867
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	8A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	97mm
Width	33mm
Height	18mm
Number of zones	1
Number of colour channels	1, Single Colour
Suitable for surface mounting	Yes

15.11.2026 - Disclaimer: information subject to change.

Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


33mm
97mm
18mm