TRONIX guided by light

RF | controller | SC | 12~48V | rotary control

ARTICLE NUMBER: 213-006

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

RF LED dimmer with rotary knob for single-colour lighting. Smooth 0–100% dimming, with selectable dimming curve, 4 PWM frequencies and support for wireless control.


Key product features

- **Type of control:** RF
- **Number of colour channels:** 1
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 8
- **Control type:** Constant voltage

Technical specifications:

Product Name	RF | controller | SC | 12~48V | rotary control
Ean	8714984952911
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	8A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	66mm
Width	59mm
Height	34.5mm
Number of zones	1
Number of colour channels	1, Single Colour
Suitable for surface mounting	Yes

Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years


66.00mm
59.00mm
34.50mm
20.00mm