

RF | controller | SC/TW/RGB(W) | 12~24V

ARTICLE NUMBER: 213-017

View this
product in
our
webshop



14.07.2026 - Disclaimer: information subject to change.

RF controller for 12–24 V LED applications. Supports single colour, Tuneable White, RGB and RGBW LED strips with smooth dimming and selectable PWM frequency for flicker-free light quality.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 4
- **Output voltage (V):** 12 – 24
- **Input voltage (V):** 12 – 24
- **Max. output current (A):** 6
- **Control type:** Constant voltage

Technical specifications:


Product Name	RF controller SC/TW/RGB(W) 12~24V
Ean	8714984953024
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	6A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	114mm
Width	38mm
Height	20mm
Number of zones	1
Number of colour channels	4, RGBW

14.07.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 24V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

14.07.2026 - Disclaimer: information subject to change.



14.07.2026 - Disclaimer: information subject to change.