

RF | controller | TW | 12~48V

ARTICLE NUMBER: 213-002

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



RF controller for single colour (DIM) and Tuneable White (TW) applications. Operates on 12–48 V DC with control via remote or push-button. Features smooth dimming, 4 PWM frequency options, and an optional fade function for soft transitions.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 2
- **Output voltage (V):** 12 – 48
- **Input voltage (V):** 12 – 48
- **Max. output current (A):** 14
- **Control type:** Constant voltage

Technical specifications:


Product Name	RF controller TW 12~48V
Ean	8714984952874
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	No
Max. output current	14A
Output voltage	12 - 48V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	115mm
Width	46mm
Height	16mm
Number of zones	1
Number of colour channels	2, Tuneable White

24.08.2026 - Disclaimer: information subject to change.



Suitable for surface mounting	Yes
Suitable for built-in mounting	Yes
Input voltage	12 - 48V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.



CARE



SHARE



CONNECT