

RF | RGB(W) or TW controller | 12V ~ 36V | 4*5A

ARTICLE NUMBER: 214-143

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.

4-channel RF controller for RGBW or tunable white LED lighting. Operates via RF remote control; external power supply required.

Key product features

- **Type of control:** RF
- **Number of colour channels:** 4
- **Output voltage (V):** 12–36
- **Input voltage (V):** 12–36
- **Max. output current (A):** 5
- **Control type:** Constant voltage

Technical specifications:

Product Name	RF RGB(W) or TW controller 12V ~ 36V 4*5A
Ean	8714984914636
Outer box qty	100st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	5A
Output voltage	12 - 36V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	178mm
Width	46mm
Height	22mm
Number of zones	1
Number of colour channels	4, RGBW
Suitable for surface mounting	Yes
Suitable for built-in mounting	No

24.08.2026 - Disclaimer: information subject to change.



Input voltage	12 - 36V
Control method	RF
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.